Author Index of Volume 186

Abram, U., 151
Abrams, M. J., 87
Alarcón, E., 231
Andreu, P. L., 225
Aoki, K., 253
Apfelbaum, H. C., 243
Ara, I., 67
Aslanidis, P., 199

Baffa, O., 39
Bakalbassis, E., 113
Bal Reddy, K., 5
Barigelletti, F., 91
Barral, M. C., 239
Beley, M., 91
Blum, J., 243
Bonomo, R. P., 21
Bozopoulos, A., 113
Bressan, M., 21
Bruni, S., 157
Bukietyńska, K., 135

Cabeza, J. A., 225
Canovese, L., 79
Cariati, F., 157
Chan-Cheng Su, 171
Chessa, G., 79
Chih-Yi Cheng, 171
Clarke, E. T., 103
Clegg, W., 51
Collin, J.-P., 91

de Graaff, R. A. G., 215
Dei, A., 157
De Jesús, F., 231
Diky, A. I., 161
Dimitrijević, M. B., 13
Djuran, M. I., 13
Dong-Sheng Yang, 1
Douglas, B. E., 13
Dreissig, W., 113
Driessen, W. L., 215

Eguchi, T., 205

Failla, S., 125
Finocchiaro, P., 125
Forniés, J., 67
Foxman, B. M., 45
Fu-Hsiang Ko, 171
Fukui, M., 95

Gatteschi, D., 157
Geck, M., 187
Goto, K., 205

Haanstra, W. G., 215
Hadjikakou, S. K., 199
Hambright, P., 119
Harbron, D. R., 51
Harriman, A., 119
Hartl, H., 113
Haye, S., 119
Hill, D., 119
Hiller, W., 151
Hoffman, E., 119
Homan, C. D., 51
Horváth, A., 61
House, D. A., 5
Hu, N., 253
Hunt, P. A., 51
Hwei-Lien Tsai, 171

Iamamoto, Y., 39
Ichimura, K., 95
Ide, Y., 73

Jáky, M., 33
Janicki, J., 27
Januszczyk, M., 27
Jiménez-Aparicio, R., 239

Kaiwar, S. P., 11
Kanamori, K., 205
Karagiannidis, P., 199
Kawai, K., 205
Kishita, M., 205
Knoch, F., 187
Krzyminiewski, R., 27
Kunkely, H., 155

Landee, C. P., 45
Larrubia, M. J., 239
Latronico, M., 125
Libertini, E., 125
Little, I. R., 51
Lozano, R., 231

Mandelbaum-Shavit, F., 243
Marangoni, G., 79
Martell, A. E., 103
Marzilli, L. G., 139
Matsubayashi, G., 165
Mentzafos, D., 199
Mobashar, R. M., 139
Moll, M., 187
Mondry, A., 135
Morii, H., 95
Morvillo, A., 21
Mosseri, S., 119
Mrozinski, J., 113
Mudgett, D. M., 45
Münze, R., 151

Nagakaki, S., 39
Nascimento, O. R., 39
Neta, P., 119
Ning-Hai Hu, 209
Novak, I., 131

Ohno, O., 95
Oliver, F. W., 119

Payne, N.C., 1
Pietrzak, J., 27
Pitteri, B., 79
Puddephatt, R. J., 1

Quoc, N., 119

Radanovíc, D. J., 13
Ramachandran, R., 1
Rao, C. P., 11
Reedijk, J., 215
Riera, V., 225
Rizzarelli, E., 21
Rode, B. M., 247
Román, J., 231
Royer, E. C., 239

Sakuragi, M., 95
Sauvage, J.-P., 91
Schwendinger, M. G., 247
Sellmann, D., 187
Shaikh, S. N., 87
Sieklucka, B., 179
Simándi, L. I., 33
Stach, J., 151
Stam, C. H., 215
Stevenson, K. L., 61
Straughan, B. P., 51
Sue-Lein Wang, 171
Sutter, T. P. G., 119
Szeverényi, Z., 33

Taguchi, S., 205
Takehara, K., 73
Taylor, A., Jr., 139
Terzis, A., 199
Thomas, C., 119
Thorpe, A. N., 119
Toba, Y., 95
Tomás, M., 67
Tsipis, C., 113

Uguagliati, P., 79
Ukita, N., 205
Urbanos, F. A., 239
Usón, R., 67

van Eldik, R., 5
Visentin, F., 79
Vogler, A., 155

Wang, Y. F., 215
Wojakowska, H., 27

Yamazaki, H., 253
Yasuike, M., 95
Yatsimirsky, A. K., 161
Yokozawa, A., 165

Zubieta, J., 87

Elsevier Sequoia, Lausanne

Inorganica Chimica Acta, 186 (1991) 269–272

Subject Index of Volume 186

Alkoxide complexes
  absorption and emission spectrum of $[TlOCH_3]_4$, 155
Amine complexes
  activation volumes for base hydrolysis of some chloro(diamine)(triamine)Cr(III) complexes, 5
  new routes to mercaptoacetylpeptide ligand precursors utilizing carboxy terminus pentaammine-cobalt(III) protection, 139
  synthesis and Mössbauer effect studies of low dimensional organoiron compound $Fe(py)_3Cl_3 \cdot py$, 27
Anisotropy
  experimental determination of single-ion anisotropies in two Ni complexes, 45
Antitumor activity
  preparation and anticancer activity of two tryptamine derived Pt complexes, 243
Aquo complexes
  experimental determination of single-ion anisotropies in two Ni complexes, 45
Arsenic compounds
  molecular and electronic structure of AsH_nX_{3-n} (X=F, Cl), 131

Bidentate ligand complexes
  discrepancy between structural and magnetic dimensionality in (μ-terephthalato)bis[(diethylenetriamine)Cu(II)]perchlorate complex, 113
  dynamic stereochemistry of bis-β-diketonato-1,5-cyclooctadiene Ru(II) complexes, 125
  preparation and anticancer activity of two tryptamine derived Pt complexes, 243
  synthesis, characterization and X-ray crystal structure of (*o*-mercaptophenolato)bis[1,2-bis(dimethylphosphino)ethane] Tc(III) tetraphenylboranate, $[Tc(meph)(DMPE)_2](BPh_4)$, 151

Carbonyl complexes
  synthesis and reactivity of diphenylphosphine derivatives of $[Ru_3(\mu\text{-}H)(\mu_3\text{-ampy})(CO)_9]$ and $[Ru_3(\mu\text{-}H)_2(\mu_3\text{-ampy})(CO)_9][BF_4]$ (Hampy=2-amino-6-methylpyridine), 225
Carboxylate complexes
  crystal structure(s) of three basic Zn carboxylates together with IR and FAB mass spectrometry studies in solution, 51
  formation of hydride complexes of Ru from diruthenium(II,III) carboxylate compounds, 239
  spectral intensities of Ho acetate single crystals, 135
Catalysis
  catalytic hydrolysis of aryl esters by Fe–S cluster, 161
  salt-induced formation of mixed peptides under possible prebiotic conditions, 247
Chelate complexes
  activation volumes for base hydrolysis of some chloro(diamine)(triamine)Cr(III) complexes, 5
  binding ability of 2,6-bis(methylthiomethyl)pyridine with proton, Pd(II) and Cu(II) in aqueous solutions, 79
  circular dichroism of Cr(III) hexadentate edta-type complexes; ethylenediamine-*N*-acetato-*N*,*N'*,*N'*-tri-3-propionatochromate(III) ion, 13
  Cu coordination compounds of ligand 1,6-bis(3,5-dimethyl-1-pyrazolyl)-2,5-dithiahexane (bddh); X-ray structures of $[Cu(bddh)]_2(BF_4)_2$, $[Cu(bddh)Cl]_2CuCl_4$ and $[Cu(bddh)(3,5\text{-dimethylpyrazole})](BF_4)_2$, 215
  discrepancy between structural and magnetic dimensionality in (μ-terephthalato)bis[(diethylenetriamine)Cu(II)perchlorate complex, 113
  dynamic stereochemistry of bis-β-diketonato-1,5-cyclooctadiene Ru(II) complexes, 125
  preparation and anticancer activity of two tryptamine derived Pt complexes, 243
  structure and properties of Fe(III) 1,3-propanediaminetetraacetate complex in aqueous solutions, 205
  synthesis and structural characterization of oxotechnetium(V) *N*,*N'*-ethylenebis(2-phenoxyacetamido) complex, 87
  UV–Vis and EPR spectroscopic study of Cu(II) complexes with bis(benzimidazol-2-yl) ligands, 21
Chromium complexes
  activation volumes for base hydrolysis of some chloro(diamine)(triamine)Cr(III) complexes, 5
  circular dichroism of Cr(III) hexadentate edta-type complexes; ethylenediamine-*N*-acetato-*N*,*N'*,*N'*-tri-3-propionatochromate(III) ion, 13
  homoleptic glucose complexes of VO^{2+} and Cr^{3+}, 11
Circular dichroism
  of Cr(III) hexadentate edta-type complexes; ethylenediamine-*N*-acetato-*N*,*N'*,*N'*-tri-3-propionatochromate(III) ion, 13
Cluster complexes
  catalytic hydrolysis of aryl esters by Fe–S cluster, 161
  spectroscopic and electrical properties of $[Cu_4(dmit)_3]^{2-}$ and $[Cu_4(dsis)_3]^{2-}$ cluster anion complexes and their oxidized species (dmit=4,5-dimercapto-1,3-dithiole-2-thionate; dsis=4,5-di(hydroseleno)-1,3-diselenole-2-selonate), 165
Cobalt complexes
  new routes to mercaptoacetylpeptide ligand precursors utilizing carboxy terminus pentaammine-cobalt(III) protection, 139
Co-enzyme complexes
  novel metal–thiamine complex with cyclic dimer formed by metal-bridged two thiamine ligands; crystal structure of $[Mn(thiamine)Cl_2(H_2O)]_2[thiamine]_2Cl_4 \cdot 2H_2O$, 209
Copper complexes
  anomalous current fluctuation in reduction process of Cu(II)–GGH, 73

Elsevier Sequoia, Lausanne

binding ability of 2,6-bis(methylthiomethyl)pyridine with proton, Pd(II) and Cu(II) in aqueous solutions, 79
bonding properties of Cu(II)–O chromophores; electronic and molecular structure of bis(imidazole)-bis(*N*-methylacetamide)bis(perchlorato)Cu(II), 171
crystal structures of three Cu(II) and Ni(II) complexes of Schiff bases formed between 1-aminocyclopropanecarboxylic acid and pyridoxal or pyridoxal 5′-phosphate, 253
Cu coordination compounds of ligand 1,6-bis(3,5-dimethyl-1-pyrazolyl)-2,5-dithiahexane (bddh); X-ray structures of $[Cu(bddh)]_2(BF_4)_2$, $[Cu(bddh)Cl]_2$-$CuCl_4$ and $[Cu(bddh)(3,5\text{-dimethylpyrazole})]$-$(BF_4)_2$, 215
discrepancy between structural and magnetic dimensionality in (μ-terephthalato)bis[(diethylenetriamine)Cu(II)]perchlorate complex, 113
salt-induced formation of mixed peptides under possible prebiotic conditions, 247
spectral and photochemical characterization of chlorodicyanocuprate(I) complex in aqueous solution, 61
spectroscopic and electrical properties of $[Cu_4$-$(dmit)_3]^{2-}$ and $[Cu_4(dsis)_3]^{2-}$ cluster anion complexes and their oxidized species (dmit = 4,5-dimercapto-1,3-dithiole-2-thionate; dsis = 4,5-di(hydroseleno)-1,3-diselenole-2-selonate), 165
synthesis and photolysis of new series of Cu(I) complexes with tri-*o*-tolylphosphine and heterocyclic thiones as ligands; crystal structure of (thiazolidine-2-thione)(tri-*o*-tolylphosphine)Cu(I)bromide, 199
UV–Vis and EPR spectroscopic study of Cu(II) complexes with bis(benzimidazol-2-yl) ligands, 21
Crystal structure(s)
of basic Zn carboxylates, 51
of $[Cu(bddh)]_2(BF_4)_2$, $[Cu(bddh)Cl]_2CuCl_4$ and $[Cu$-$(bddh)(3,5\text{-dimethylpyrazole})](BF_4)_2$, 215
of Cu(II) and Ni(II) complexes of Schiff bases formed between 1-aminocyclopropanecarboxylic acid and pyridoxal or pyridoxal 5′-phosphate, 253
of $[Mn(thiamine)Cl_2(H_2O)]_2[thiamine]_2Cl_4 \cdot 2H_2O$, 209
of oxotechnetium(V) *N*,*N*′-ethylenebis(2-phenoxyacetamido) complex, 87
phosphine and phosphite complexes of triplatinum hydride, 1
of $[(PPh_3)(C_6Cl_5)BrPt(\mu\text{-}Br)Ag(PPh_3)]_2$, 67
of $[Ru('S_2')_2(PMe_3)_2]^n$ ($n = 0, -1$; $'S_2'^{2-}$ = 1,2-benzenedithiolate(2−)), 187
of $[Tc(meph)(DMPE)_2](BPh_4)$, 151
of (μ-terephthalato)bis[(diethylenetriamine)Cu(II)]-perchlorate complex, 113
Cyanide complexes
photoreactivity of octacyanotungstate(V) ion in nonaqueous solvents, 179
spectral and photochemical characterization of chlorodicyanocuprate(I) complex in aqueous solution, 61
Cyclometallated ligand complexes
room temperature luminescent cyclometallated Ru(II) complex of 6-phenyl-2,2′-bipyridine, 91
Dinuclear complexes
1,4,5,8-tetraoxonaphthalene redox species in dinuclear Ru complexes; resonance Raman and electronic spectra, 157
Dithiocarbamate complexes
W(V) binuclear thiocomplexes with diethyldithiocarbamate; synthesis, spectral, thermal and kinetic studies, 231

Electrochemistry
anomalous current fluctuation in reduction process of Cu(II)–GGH, 73
π-electron delocalization and partial Ru S multiple bonding in Ru bis-1,2-benzenedithiolate complexes; X-ray structure analyses and redox chemistry of $[Ru('S_2')_2(PMe_3)_2]^n$ ($n = 0, -1$); $'S_2'^{2-}$ = 1,2=benzenedithiolate(2−)), 187
Electronic structure(s)
of AsH_nX_{3-n} (X = F, Cl), 131
of bis(imidazole)bis(*N*-methylacetamide)bis-(perchlorate)Cu(II), 171
1,4,5,8-tetraoxonaphthalene redox species in dinuclear Ru complexes, 157
of $[TlOCH_3]_4$, 155
Europium complexes
Mössbauer, magnetic susceptibility, radiolytic and photochemical studies of Eu and Lu porphyrins, 119

Glucose complexes
homoleptic glucose complexes of VO^{2+} and Cr^{3+}, 11

Halide compounds
molecular and electronic structure of AsH_nX_{3-n} (X = F, Cl), 131
Heterocyclic ligand complexes
synthesis and photolysis of new series of Cu(I) complexes with tri-*o*-tolylphosphine and heterocyclic thiones as ligands; crystal structure of (thiazolidine-2-thione)(tri-*o*-tolylphosphine)Cu(I)-bromide, 199
Holmium complexes
spectral intensities of Ho acetate single crystals, 135
Hydride complexes
formation of hydride complexes of Ru from diruthenium(II,III) carboxylate compounds, 239
phosphine and phosphite complexes of triplatinum hydride and evidence for slippage of hydride ligand, 1
Hydrolysis
activation volumes for base hydrolysis of some chloro(diamine)(triamine)Cr(III) complexes, 5
catalytic hydrolysis of aryl esters by Fe–S clusters, 161

Imidazole complexes
bonding properties of Cu(II)–O chromophores; electronic and molecular structure of bis(imidazole)-bis(*N*-methylacetamide)bis(perchlorato)Cu(II), 171
Iron complexes
catalytic hydrolysis of aryl esters by Fe–S cluster, 161

intermediate species detected in oxidation reactions of FeTM(4)PyP^{5+} with iodosylbenzene by EPR and UV–Vis spectroscopies, 39
structure and properties of Fe(III) 1,3-propanediaminetetraacetate complex in aqueous solutions, 205
synthesis and Mössbauer effect studies of low dimensional organoiron compound $Fe(py)_3Cl_3 \cdot py$, 27

Kinetics and mechanism
binding ability of 2,6-bis(methylthiomethyl)pyridine with proton, Pd(II) and Cu(II) in aqueous solutions, 79
formation of manganate(V) in oxidations by permanganate ion in strongly alkaline solutions, 33
potentiometric and spectrophotometric determination of stabilities of In(III), Ga(III) and Fe(III) complexes of *N,N′,N″*-tris(3,5-dimethyl-2-hydroxybenzyl)-1,4,7-triazacyclononane, 103
W(V) binuclear thiocomplexes with diethyldithiocarbamate; synthesis, spectral, thermal and kinetic studies, 231
Lanthanide complexes
spectral intensities of Ho acetate single crystals, 135
Luminescence
room temperature luminescent cyclometallated Ru(II) complex of 6-phenyl-2,2′-bipyridine, 91
Lutetium complexes
Mössbauer, magnetic susceptibility, radiolytic and photochemical studies of Eu and Lu porphyrins, 119

Macrocyclic ligand complexes
potentiometric and spectrophotometric determination of stabilities of In(III), Ga(III) and Fe(III) complexes of *N,N′,N″*-tris(3,5-dimethyl-2-hydroxybenzyl)-1,4,7-triazacyclononane, 103
Magnetism
discrepancy between structural and magnetic dimensionality in (μ-terephthalato)bis[(diethylenetriamine)Cu(II)]perchlorate complex, 113
Manganese complexes
novel metal–thiamine complex with cyclic dimer formed by metal-bridged two thiamine ligands; crystal structure of $[Mn(thiamine)Cl_2(H_2O)]_2$-$[thiamine]_2Cl_4 \cdot 2H_2O$, 209
Manganese compounds
formation of manganate(V) in oxidations by permanganate ion in strongly alkaline solutions, 33
Metal complexes
potentiometric and spectrophotometric determination of stabilities of In(III), Ga(III) and Fe(III) complexes of *N,N′,N″*-tris(3,5-dimethyl-2-hydroxybenzyl)-1,4,7-triazacyclononane, 103
Molecular structure(s)
of AsH_nX_{3-n} (X = F, Cl), 131
of bis(imidazole)bis(*N*-methylacetamide)bis(perchlorato)Cu(II), 171
Mössbauer spectroscopy
synthesis and Mössbauer effect studies of low dimensional organoiron compound $Fe(py)_3Cl_3 \cdot py$, 27

Nickel complexes
crystal structures of three Cu(II) and Ni(II) complexes of Schiff bases formed between 1-aminocyclopropanecarboxylic acid and pyridoxal or pyridoxal 5′-phosphate, 253
experimental determination of single-ion anisotropies in two Ni complexes, 45

Organoiron complexes
synthesis and Mössbauer effect studies of low dimensional organoiron compound $Fe(py)_3Cl_3 \cdot py$, 27
Oxidation
formation of manganate(V) in oxidations by permanganate ion in strongly alkaline solutions, 33
intermediate species detected in oxidation reactions of FeTM(4)PyP^{5+} with iodosylbenzene by EPR and UV–Vis spectroscopies, 39
Oxo complexes
synthesis and structural characterization of oxotechnetium(V) *N,N′*-ethylenebis(2-phenoxyacetamido) complex, 87

Palladium complexes
binding ability of 2,6-bis(methylthiomethyl)pyridine with proton, Pd(II) and Cu(II) in aqueous solutions, 79
Peptide complexes
anomalous current fluctuations in reduction process of Cu(II)–GGH, 73
new routes to mercaptoacetylpeptide ligand precursors utilizing carboxy terminus pentaamminecobalt(III) protection, 139
salt-induced formation of mixed peptides under possible prebiotic conditions, 247
Phosphine complexes
synthesis and reactivity of diphenylphosphine derivatives of $[Ru_3(\mu\text{-}H)(\mu_3\text{-}ampy)(CO)_9]$ and $[Ru_3(\mu\text{-}H)_2(\mu_3\text{-}ampy)(CO)_9][BF_4]$ (Hampy = 2-amino-6-methylpyridine), 225
Photochemistry
spectral and photochemical characterization of chlorodicyanocuprate(I) complex in aqueous solution, 61
Photolysis
photoreactivity of octacyanotungstate(V) ion in nonaqueous solvents, 179
synthesis and photolysis of new series of Cu(I) complexes with tri-*o*-tolylphosphine and heterocyclic thiones as ligands; crystal structure of (thiazolidine-2-thione)(tri-*o*-tolylphosphine)Cu(I)bromide, 199
Platinum complexes
phosphine and phosphite complexes of triplatinum hydride and evidence for slippage of hydride ligand, 1
preparation and anticancer activity of two tryptamine derived Pt complexes, 243
synthesis and molecular structure of $[(PPh_3)(C_6Cl_5)$-$BrPt(\mu\text{-}Br)Ag(PPh_3)]_2$, compound displaying strong and weak Ag...Br interactions, 67

Polydentate ligand complexes
binding ability of 2,6-bis(methylthiomethyl)pyridine with proton, Pd(II) and Cu(II) in aqueous solutions, 79
circular dichroism of Cr(III) hexadentate edta-type complexes; ethylenediamine-*N*-acetato-*N*,*N*′,*N*′-tri-3-propionatochromate(III) ions, 13
Cu coordination compounds of ligand 1,6-bis(3,5-dimethyl-1-pyrazolyl)-2,5-dithiahexane (bddh); X-ray structures of $[Cu(bddh)]_2(BF_4)_2$, $[Cu(bddh)Cl]_2$-$CuCl_4$ and [Cu(bddh)(3,5-dimethylpyrazole)]-$(BF_4)_2$, 215
spectroscopic and electrical properties of $[Cu_4$-$(dmit)_3]^{2-}$ and $[Cu_4(dsis)_3]^{2-}$ cluster anion complexes and their oxidized species (dmit = 4,5-dimercapto-1,3-dithiole-2-thionate; dsis = 4,5-di(hydroseleno)-1,3-diselenole-2-selonate), 165
structure and properties of Fe(III) 1,3-propanediaminetetraacetate complex in aqueous solutions, 205
synthesis and structural characterization of oxotechnetium(V) *N*,*N*′-ethylenebis(2-phenoxyacetamido) complex, 87
UV–Vis and EPR spectroscopic study of Cu(II) complexes with bis(benzimidazol-2-yl) ligands, 21
Porphyrin complexes
formation of tetrabenzoporphine skeleton by reactions of phthalimide with Zn carbonates, 95
intermediate species detected in oxidation reactions of $FeTM(4)PyP^{5+}$ with iodosylbenzene by EPR and UV–Vis spectroscopies, 39
Mössbauer, magnetic susceptibility, radiolytic and photochemical studies of Eu and Lu porphyrins, 119

Ruthenium complexes
dynamic stereochemistry of bis-β-diketonato-1,5-cyclooctadiene Ru(II) complexes, 125
π-electron delocalization and partial Ru S multiple bonding in Ru bis-1,2-benzenedithiolate complexes; X-ray structure analyses and redox chemistry of $[Ru('S_2')_2(PMe_3)_2]^n$ ($n = 0, -1$; $'S_2'^{2-}$ = 1,2-benzenedithiolate(2−)), 187
formation of hydride complexes of Ru from diruthenium(II,III) carboxylate compounds, 239
room temperature luminescent cyclometallated Ru(II) complex of 6-phenyl-2,2′-bipyridine, 91
synthesis and reactivity of diphenylphosphine derivatives of $[Ru_3(\mu\text{-}H)(\mu_3\text{-ampy})(CO)_9]$ and $[Ru_3(\mu\text{-}H)_2(\mu_3 = \text{ampy})(CO)_9][BF_4]$ (Hampy = 2-amino-6-methylpyridine), 225
1,4,5,8-tetraoxonaphthalene redox species in dinuclear Ru complexes; resonance Raman and electronic spectra, 157

Schiff base complexes
crystal structure of three Cu(II) and Ni(II) complexes of Schiff bases formed between 1-aminocyclopropanecarboxylic acid and pyridoxal or pyridoxal 5′-phosphate, 253
Silver complexes
synthesis and molecular structure of $[(PPh_3)(C_6Cl_5)$-$BrPt(\mu\text{-}Br)Ag(PPh_3)]_2$, compound displaying strong and weak Ag...Br interactions, 67
Stereochemistry
dynamic stereochemistry of bis-β-diketonato-1,5-cyclooctadiene Ru(II) complexes, 125
Sulfur complexes
catalytic hydrolysis of aryl esters by Fe–S cluster, 161
Sulfur ligand complexes
π-electron delocalization and partial Ru S multiple bonding in Ru bis-1,2-benzenedithiolate complexes; X-ray structure analyses and redox chemistry of $[Ru('S_2')_2(PMe_3)_2]^n$ ($n = 0, -1$; $'S_2'^{2-}$ = 1,2-benzenedithiolate(2−)), 187

Technetium complexes
synthesis, characterization and X-ray crystal structure of (*o*-mercaptophenolato)bis[1,2-bis(dimethylphosphino)ethane] Tc(III) tetraphenylboranate, $[Tc(meph)(DMPE)_2](BPh_4)$, 151
synthesis and structural characterization of oxotechnetium(V) *N*,*N*′-ethylenebis(2-phenoxyacetamido) complex, 87
Thallium complexes
absorption and emission spectrum of $[TlOCH_3]_4$, 155
Thermodynamics
activation volumes for base hydrolysis of some chloro(diamine)(triamine)Cr(III) complexes, 5
Thiolato complexes
synthesis, characterization and X-ray crystal structure of (*o*-mercaptophenolato)bis[1,2-bis(dimethylphosphino)ethane] Tc(III) tetraphenylboronate, $[Tc(meph)(DMPE)_2(BPh_4)$, 151
Tungsten complexes
photoreactivity of octacyanotungstate(V) ion in nonaqueous solvents, 179
W(V) binuclear thiocomplexes with diethyldithiocarbamate; synthesis, spectral, thermal and kinetic studies, 231

Vanadium complexes
homoleptic glucose complexes of VO^{2+} and Cr^{3+}, 11
Vanadyl complexes
homoleptic glucose complexes of VO^{2+} and Cr^{3+}, 11

Zinc complexes
crystal structure(s) of three basic Zn carboxylates together with IR and FAB mass spectrometry studies in solution, 51
formation of tetrabenzoporphine skeleton by reaction of phthalimide with Zn carbonates, 95